



| SAMPLE LEGEND | |
|-----------------------|---------------------------------------|
| SAMPLE IDENTIFICATION | SAMPLE RESULT |
| MATERIAL DESCRIPTION | PERCENTAGE AND TYPE OF ASBESTOS |
| AM | = AMOSITE |
| CA | = CARPET ADHESIVE |
| CB | = COVE BASE |
| CBA | = COVE BASE ADHESIVE |
| CFTA | = CERAMIC FLOOR TILE ADHESIVE |
| CFTG | = CERAMIC FLOOR TILE GROUT |
| CFTSC | = CERAMIC FLOOR TILE SETTING COMPOUND |
| CH | = CHRYSOTILE |
| CO | = COUNTERTOP |
| CT | = CEILING TILE |
| CWTA | = CERAMIC WALL TILE ADHESIVE |
| CWTG | = CERAMIC WALL TILE GROUT |
| CWTSC | = CERAMIC WALL TILE SETTING COMPUND |
| DC | = DOOR CAULKING |
| DG | = DUCT GLAZING |
| DI | = DUCT INSULATION |
| DIA | = DUCT INSULATION ADHESIVE |
| DIW | = DUCT INSULATION WRAP |
| DS | = DUCT SEALANT |
| ECP | = END CAP PACKING |
| ECS | = END CAP SEALANT |
| EFIS | = EXTERIOR FINISH INSULATION SYSTEM |
| EJF | = EXPANSION JOINT FILLER |
| FC | = FLEX CONNECTOR |
| FP | = SPRAY-ON FIREPROOFING |
| FT | = FLOOR TILE |
| FTM | = FLOOR TILE MASTIC |
| GB | = GYPSUM BOARD |
| GD | = GLUE DAUB |
| JC | = JOINT COMPOUND |
| LI | = LINOLEUM |
| LIA | = LINOLEUM ADHESIVE |
| LV | = LEVELING COMPOUND |
| MA | = MISCELLANEOUS ADHESIVE |
| MC | = MISCELLANEOUS CAULKING |
| MM | = MISCELLANEOUS MATERIAL |
| N | = NEGATIVE |
| NA | = NOT ANALYZED |
| NAD | = NO ASBESTOS DETECTED |
| NAPS | = NOT ANALYZED POSITIVE STOP |
| P | = POSITIVE |
| PFI | = PIPE FITTING INSULATION |
| PI | = PIPE INSULATION |
| PIA | = PIPE INSULATION ADHESIVE |
| PLCB | = PLASTER CEILING BASE COAT |
| PLCS | = PLASTER CEILING SKIM COAT |
| PLWB | = PLASTER WALL BASE COAT |
| PLWS | = PLASTER WALL SKIM COAT |
| PM | = PIPE MASTIC |
| PS | = PENETRATION SEALANT |
| PW | = PIPE WRAP |
| RC | = ROOF CEMENT |
| RF | = ROOF FLASHING |
| RP | = ROOF PAPER |
| SCT | = SUSPENDED CEILING TILE |
| SS | = SINK SEALANT |
| SU | = SINK UNDERCOAT |
| T | = TRANSITE |
| TC | = TEXTURED COATING |
| TR | = TRACE |
| VW | = VALVE WRAP |
| WC | = WINDOW CAULKING |
| WG | = WINDOW GLAZING |
| WP | = WATERPROOFING |
| WT | = WALL TILE |

| SYMBOL | MATERIAL DESCRIPTION |
|--------|--------------------------------|
| | ACM SHEET FLOORING (TOP LAYER) |
| | ACM ROOFING MATERIALS |
| | ACM WINDOW CAULKING |
| | ACM SINK UNDERCOATING |
| | ACM PIPE INSULATION |
| | ACM PIPE FITTING INSULATION |
| | ACM BREECHING INSULATION |
| | ACM FLUE CEMENT |

NOTES

1. NOT ALL SYMBOLS IN THE LEGEND ARE USED IN THIS DRAWING.
2. ACM PIPE FITTING CEMENT IS PRESENT ABOVE CEILINGS AND IN WALLS.



| | | | |
|---------------------------------|------|--|----------------------|
| drawing title | | STATE OF CONNECTICUT DEPARTMENT OF ADMINISTRATIVE SERVICES DIVISION OF CONSTRUCTION SERVICES | |
| ACM LOCATIONS BASEMENT FLOOR | | DRAWING PREPARED BY Cardno ATC 290 Business Street, Suite 201 Waterford, CT 06495-3000 | |
| R E V I S I O N S | | date 11/05/14 | |
| mark | date | description | scale 1/8" = 1' |
| | | | drawn by BLS |
| | | | approved by EF |
| | | | drawing no. ASB-1 |
| project | | project no. 61.22573.0020 TASK 20071 | |
| CAD no. | | | |